

Product identifier

1.1.

Product form

ZIFT TAR CLEANING

Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Date of issue: 13/02/2019 Version: 0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

: Mixture

Product name		: ZIFT TAR CLEAN	ling				
/aporizer		: Aerosol					
2 Delevent	identified uses of the subst			ancient			
.2. Relevant	identified uses of the substa	: Spray cleaners	a uses advised	against			
se of the substance	e/mixture	. Spray cleaners					
	f the supplier of the safety d	ata sheet					
	ƏL ve KİMYA SANAYİ A.Ş. Sk. No:4 Tavşanlı Beldesi Altıı	nova					
alova - TÜRKİYE	-						
	27 - F + 90 226 465 72 26 com.tr - www.atlantikaerosol.c	om					
	cy telephone number	<u>5111</u>					
Country	Organisation/Company	Address		Emergency	number	Comment	
Turkey	Ulusal Zehir Merkezi (UZEM		No: 18 Sihhive	114	number	Information is provided to	
untoy	Refik Saydam Hıfzıssıhha Merkezi	Çankaya 06590 Ankara				public and medical	
	Başkanlığı	00350 Alikala				personnel on poisoning	
						incidents via 114.	
CTION 2: Ha	zards identification						
	ation of the substance or mi	cture					
	ording to Classification, Lab mbered 28848 on December		ig of Substanc	es and Mixtures	s (SEA) Regi	ulation published in the	
rosol, Category 1	Indered 20040 On December	11, 2013.	H222;H229				
in corrosion/irritat	ion Cotogon ()		-				
	ION. Caledory Z		H315				
		erious eye damage/eye irritation, Category 2 H319					
rious eye damage	e/eye irritation, Category 2						
rious eye damage in sensitisation, C	e/eye irritation, Category 2 Category 1		H317				
rious eye damage in sensitisation, C ecific target organ	e/eye irritation, Category 2 Category 1 n toxicity — Single exposure, (H317 H336				
erious eye damage tin sensitisation, C pecific target organ	e/eye irritation, Category 2 Category 1		H317				
erious eye damage kin sensitisation, C pecific target organ pecific target organ	e/eye irritation, Category 2 Category 1 n toxicity — Single exposure, (e, Category 1	H317 H336 H372				
erious eye damage kin sensitisation, C pecific target organ pecific target organ azardous to the ac	e/eye irritation, Category 2 Category 1 n toxicity — Single exposure, (n toxicity — Repeated exposure)	e, Category 1	H317 H336 H372				
erious eye damage kin sensitisation, C pecific target orgar pecific target orgar azardous to the ac	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic	e, Category 1	H317 H336 H372				
erious eye damage kin sensitisation, C pecific target organ pecific target organ azardous to the ac ull text of H-statem dverse physicoche	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 Emical, human health and	e, Category 1 Hazard, Category 2 : Pressurised conta	H317 H336 H372 H411			ble aerosol. Toxic to aquatic	
erious eye damage cin sensitisation, C pecific target organ pecific target organ azardous to the ac all text of H-statem liverse physicoche	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 Emical, human health and	e, Category 1 Hazard, Category 2 : Pressurised conta with long lasting e	H317 H336 H372 H411 iiner: May burst	damage to organ	s through pro	olonged or repeated exposu	
rious eye damage in sensitisation, C ecific target orgar ecific target orgar zardous to the ac Il text of H-statem verse physicoche	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 Emical, human health and	e, Category 1 Hazard, Category 2 : Pressurised conta with long lasting e	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine	damage to organ	s through pro		
rious eye damage in sensitisation, C ecific target orgar ecific target orgar zardous to the ac Il text of H-statem verse physicoche vironmental effect	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts	e, Category 1 Hazard, Category 2 : Pressurised conta with long lasting e May cause drows	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine	damage to organ	s through pro	olonged or repeated exposu	
rious eye damage in sensitisation, C ecific target organ ecific target organ zardous to the ac Il text of H-statem verse physicoche vironmental effect	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts	e, Category 1 Hazard, Category 2 : Pressurised conta with long lasting e May cause drows cause an allergic	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine skin reaction.	damage to organ ss. Causes skin	s through pro irritation. Cau	olonged or repeated exposi uses serious eye irritation. N	
rious eye damage in sensitisation, C ecific target organ ecific target organ zardous to the ac Il text of H-statem verse physicoche vironmental effect 2. Label eler assification acco	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments prding to Classification, Lab	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine skin reaction.	damage to organ ss. Causes skin	s through pro irritation. Cau	olonged or repeated exposi uses serious eye irritation. N	
erious eye damage cin sensitisation, C pecific target organ azardous to the ac all text of H-statem dverse physicoche vironmental effect 2. Label ele assification acco fficial Journal nu	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments ording to Classification, Lab mbered 28848 on December	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine skin reaction.	damage to organ ss. Causes skin	s through pro irritation. Cau	olonged or repeated exposi uses serious eye irritation. N	
erious eye damage in sensitisation, C pecific target organ azardous to the ac ill text of H-statem lverse physicoche vironmental effect 2. Label ele assification acco ficial Journal nu	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments ording to Classification, Lab mbered 28848 on December	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine skin reaction.	damage to organ ss. Causes skin	s through pro irritation. Cau	olonged or repeated exposi uses serious eye irritation. N	
erious eye damage in sensitisation, C pecific target organ azardous to the ac ill text of H-statem lverse physicoche vironmental effect 2. Label ele assification acco ficial Journal nu	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments ording to Classification, Lab mbered 28848 on December	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine skin reaction.	damage to organ ss. Causes skin	s through pro irritation. Cau	olonged or repeated exposi uses serious eye irritation. N	
rious eye damage in sensitisation, C ecific target organ ecific target organ zardous to the ac Il text of H-statem verse physicoche vironmental effect 2. Label ele assification acco ficial Journal nu	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments ording to Classification, Lab mbered 28848 on December	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine skin reaction.	damage to organ ss. Causes skin	s through pro irritation. Cau	olonged or repeated exposi uses serious eye irritation. N	
rious eye damage in sensitisation, C ecific target organ ecific target organ zardous to the ac Il text of H-statem verse physicoche vironmental effect 2. Label elen assification acco ficial Journal nu	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments ording to Classification, Lab mbered 28848 on December	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine skin reaction.	damage to organ ss. Causes skin	s through pro irritation. Cau	olonged or repeated exposi uses serious eye irritation. N	
rious eye damage in sensitisation, C ecific target organ ecific target organ zardous to the ac Il text of H-statem verse physicoche vironmental effect Label ele assification acco ficial Journal nu	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments ording to Classification, Lab mbered 28848 on December	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 	H317 H336 H372 H411 iner: May burst iffects. Causes iness or dizzine skin reaction.	damage to organ ss. Causes skin	s through pro irritation. Cau	olonged or repeated exposi uses serious eye irritation. N	
rious eye damage in sensitisation, C ecific target organ ecific target organ izardous to the ac Il text of H-statem iverse physicoche vironmental effect 2. Label eler assification acco ficial Journal nu izard pictograms (e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur guatic environment — Chronic ments: see section 16 emical, human health and ts ments prding to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. 	H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction.	damage to organ ss. Causes skin es and Mixtures	s through pro irritation. Cau s (SEA) Regu	olonged or repeated exposi uses serious eye irritation. N	
rious eye damage in sensitisation, C ecific target orgar ecific target orgar zardous to the ac Il text of H-statem verse physicoche vironmental effect 2. Label eler assification acco ficial Journal nu zard pictograms (e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur guatic environment — Chronic ments: see section 16 emical, human health and ts ments prding to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. elling and Packagir GHS02 i Danger i Hydrocarbons, CS 	H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction. hg of Substanc GHS07	damage to organ ss. Causes skin es and Mixtures GHS08	s through pro irritation. Cau s (SEA) Regu s (SEA) Regu GHS09	olonged or repeated exposi uses serious eye irritation. N	
rious eye damage in sensitisation, C ecific target organ ecific target organ izardous to the ac II text of H-statem iverse physicoche vironmental effect 2. Label ele assification acco ficial Journal nu izard pictograms (gnal word (SEA) izardous ingredier	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur guatic environment — Chronic ments: see section 16 emical, human health and ts ments prding to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. elling and Packagir (1, 2013). elling and Packagir (1, 20	H317 H336 H372 H411 hiner: May burst iffects. Causes iness or dizzine skin reaction. hg of Substanc GHS07 O-C12, n-alkane	damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy	s through pro irritation. Cau s (SEA) Regu s (SEA) Regu GHS09	olonged or repeated exposu uses serious eye irritation. M ulation published in the	
erious eye damage in sensitisation, C pecific target organ azardous to the ac all text of H-statem Iverse physicoche vironmental effect 2. Label ele assification accor ficial Journal nu azard pictograms (gnal word (SEA) azardous ingredier	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur guatic environment — Chronic ments: see section 16 emical, human health and ts ments prding to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. elling and Packagir 0HS02 Danger Hydrocarbons, CS diene; d-limonene H222 - Extremely 	H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction. hg of Substanc GHS07 CHS07	damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy	s through pro irritation. Cau s (SEA) Regu s (SEA) Regu GHS09	olonged or repeated exposu uses serious eye irritation. M ulation published in the	
erious eye damage cin sensitisation, C pecific target organ becific target organ azardous to the ac ull text of H-statem twerse physicoche vironmental effect 2. Label ele assification accor ficial Journal nu azard pictograms (gnal word (SEA) azardous ingredier	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur guatic environment — Chronic ments: see section 16 emical, human health and ts ments prding to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. elling and Packagir 11, 2013.<td>H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction. hg of Substanc GHS07 O-C12, n-alkane flammable aero in irritation.</td><td>damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol.</td><td>s through pro irritation. Cau s (SEA) Regu s (SEA) Regu GHS09</td><td>olonged or repeated exposu uses serious eye irritation. M ulation published in the</td>	H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction. hg of Substanc GHS07 O-C12, n-alkane flammable aero in irritation.	damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol.	s through pro irritation. Cau s (SEA) Regu s (SEA) Regu GHS09	olonged or repeated exposu uses serious eye irritation. M ulation published in the	
erious eye damage cin sensitisation, C pecific target organ becific target organ azardous to the ac ull text of H-statem twerse physicoche vironmental effect 2. Label ele assification accor ficial Journal nu azard pictograms (gnal word (SEA) azardous ingredier	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur guatic environment — Chronic ments: see section 16 emical, human health and ts ments prding to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. elling and Packagir 0HS02 Danger Hydrocarbons, CS diene; d-limonene H222 - Extremely 	H317 H336 H372 H411 H411 H411 H411 H411 H411 H411 H41	damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction.	s through pro irritation. Cau s (SEA) Regu s (SEA) Regu GHS09	olonged or repeated exposu uses serious eye irritation. M ulation published in the	
erious eye damage cin sensitisation, C pecific target organ becific target organ azardous to the ac ull text of H-statem twerse physicoche vironmental effect 2. Label ele assification accor ficial Journal nu azard pictograms (gnal word (SEA) azardous ingredier	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur guatic environment — Chronic ments: see section 16 emical, human health and ts ments prding to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. elling and Packagir 11, 2013.<td>H317 H336 H372 H411 hiner: May burst ffects. Causes inness or dizzine skin reaction. Ing of Substanc GHS07 O-C12, n-alkane flammable aero in irritation. e an allergic skii prious eye irritat e drowsiness or</td><td>damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction. ion. dizziness.</td><td>IS THROUGH PRO Irritation. Cau Is (SEA) Regu (SEA) Regu GHS09 Clics, aromat</td><td>olonged or repeated exposu uses serious eye irritation. M ulation published in the tics (2-25%); (R)-p-mentha-</td>	H317 H336 H372 H411 hiner: May burst ffects. Causes inness or dizzine skin reaction. Ing of Substanc GHS07 O-C12, n-alkane flammable aero in irritation. e an allergic skii prious eye irritat e drowsiness or	damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction. ion. dizziness.	IS THROUGH PRO Irritation. Cau Is (SEA) Regu (SEA) Regu GHS09 Clics, aromat	olonged or repeated exposu uses serious eye irritation. M ulation published in the tics (2-25%); (R)-p-mentha-	
erious eye damage kin sensitisation, C pecific target organ azardous to the ac ull text of H-statem dverse physicoche hvironmental effect 2. Label elect lassification acco	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur guatic environment — Chronic ments: see section 16 emical, human health and ts ments prding to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. elling and Packagir 11, 2013.<td>H317 H336 H372 H411 hiner: May burst iffects. Causes inness or dizzine skin reaction. Ing of Substanc GHS07 GHS07 O-C12, n-alkane flammable aero in irritation. e an allergic skin prious eye irritat e drowsiness or amage to organization</td><td>damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction. ion. dizziness. s through prolong</td><td>s through pro irritation. Cau s (SEA) Regu GHS09 clics, aromat</td><td>olonged or repeated exposu uses serious eye irritation. M ulation published in the tics (2-25%); (R)-p-mentha-</td>	H317 H336 H372 H411 hiner: May burst iffects. Causes inness or dizzine skin reaction. Ing of Substanc GHS07 GHS07 O-C12, n-alkane flammable aero in irritation. e an allergic skin prious eye irritat e drowsiness or amage to organization	damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction. ion. dizziness. s through prolong	s through pro irritation. Cau s (SEA) Regu GHS09 clics, aromat	olonged or repeated exposu uses serious eye irritation. M ulation published in the tics (2-25%); (R)-p-mentha-	
erious eye damage kin sensitisation, C pecific target organ azardous to the ac ull text of H-statem dverse physicoche vironmental effect 2. Label eler assification acco fficial Journal nu azard pictograms (gnal word (SEA) azardous ingredien azard statements (e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments ording to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. elling and Packagir 11, 2013.<td>H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction. Ing of Substanc GHS07 O-C12, n-alkane flammable aero in irritation. an allergic skin erious eye irritat drowsiness or amage to organs quatic life with lo</td><td>damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction. ion. dizziness. s through prolong ong lasting effect</td><td>s through pro irritation. Cau s (SEA) Regu GHS09 clics, aromat</td><td>olonged or repeated exposu uses serious eye irritation. M ulation published in the tics (2-25%); (R)-p-mentha-</td>	H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction. Ing of Substanc GHS07 O-C12, n-alkane flammable aero in irritation. an allergic skin erious eye irritat drowsiness or amage to organs quatic life with lo	damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction. ion. dizziness. s through prolong ong lasting effect	s through pro irritation. Cau s (SEA) Regu GHS09 clics, aromat	olonged or repeated exposu uses serious eye irritation. M ulation published in the tics (2-25%); (R)-p-mentha-	
erious eye damage kin sensitisation, C pecific target organ azardous to the ac ull text of H-statem dverse physicoche vironmental effect 2. Label eler assification acco fficial Journal nu azard pictograms (gnal word (SEA) azardous ingredien azard statements (e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments ording to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. GHS02 Danger Hydrocarbons, CS diene; d-limonene H222 - Extremely H315 - Causes sk H317 - May cause H319 - Causes se H336 - May cause H319 - Causes da H411 - Toxic to ad P210 - Keep awa 	H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction. Ing of Substanc GHS07 O-C12, n-alkane flammable aero in irritation. an allergic skin erious eye irritat drowsiness or amage to organs quatic life with lo	damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction. ion. dizziness. s through prolong ong lasting effect	s through pro irritation. Cau s (SEA) Regu GHS09 clics, aromat	olonged or repeated exposu uses serious eye irritation. M ulation published in the tics (2-25%); (R)-p-mentha-	
erious eye damage kin sensitisation, C becific target organ becific target organ azardous to the ac ull text of H-statem dverse physicoche hvironmental effect 2. Label ele lassification acco ficial Journal nu azard pictograms of gnal word (SEA) azardous ingredier	e/eye irritation, Category 2 Category 1 In toxicity — Single exposure, (In toxicity — Repeated exposur quatic environment — Chronic ments: see section 16 emical, human health and ts ments ording to Classification, Lab mbered 28848 on December (SEA)	 e, Category 1 Hazard, Category 2 Pressurised conta with long lasting e May cause drows cause an allergic elling and Packagir 11, 2013. elling and Packagir 11, 2013.<td>H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction. Ing of Substanc GHS07 O-C12, n-alkane flammable aero in irritation. an allergic skin erious eye irritat drowsiness or amage to organs quatic life with lo</td><td>damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction. ion. dizziness. s through prolong ong lasting effect</td><td>s through pro irritation. Cau s (SEA) Regu GHS09 clics, aromat</td><td>olonged or repeated exposu uses serious eye irritation. M ulation published in the tics (2-25%); (R)-p-mentha-</td>	H317 H336 H372 H411 hiner: May burst ffects. Causes iness or dizzine skin reaction. Ing of Substanc GHS07 O-C12, n-alkane flammable aero in irritation. an allergic skin erious eye irritat drowsiness or amage to organs quatic life with lo	damage to organ ss. Causes skin es and Mixtures GHS08 s, isoalkanes, cy osol. n reaction. ion. dizziness. s through prolong ong lasting effect	s through pro irritation. Cau s (SEA) Regu GHS09 clics, aromat	olonged or repeated exposu uses serious eye irritation. M ulation published in the tics (2-25%); (R)-p-mentha-	



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Date of issue: 13/02/2019 Version: 0.0

- P251 Do not pierce or burn, even after use.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.P264 Wash hands, forearms and face with soap and water thoroughly after handling
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.

2.3. **Other hazards**

Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition/information on ingredients

Substances 3.1.

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	(CAS-No.) 64742-82-1 (EC-No.) 919-446-0	40	Flam. Liq. 3, H226 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Liquefied petroleum gases - LPG	(CAS-No.) 68476-85-7 (EC-No.) 270-704-2	35	Flam. Gas 1, H220 Press. Gas (Comp.), H280
2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	(CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0	10	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315
(R)-p-mentha-1,8-diene; d-limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
C12-14 PARETH-12	(CAS-No.) 68439-50-9 (EC-No.) 500-213-3	5	Not determined

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Get medical advice/attention if you feel unwell.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye contact	: If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.		
4.2. Most important symptoms and effe	cts, both acute and delayed		
Symptoms/effects	: May cause drowsiness or dizziness.		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	: Eye irritation.		
4.3. Indication of any immediate medic	al attention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014 Date of issue: 13/02/2019 Version: 0.0

5.2. Special hazards arising from the su	ibstance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containm	ent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/pers	sonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
Environmental exposure controls	: Avoid release to the environment.



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Date of issue: 13/02/2019 Version: 0.0

	e: 13/02/2019 Version: 0.0				
SECTION 9: Physical and chemical	properties				
9.1. Information on basic physical and	chemical properties				
Physical state	: Liquid				
Colour	: No data available				
Odour	: No data available				
Odour threshold	: No data available				
рН	: No data available				
Relative evaporation rate (butylacetate=1)	: No data available				
Melting point	: Not applicable				
Freezing point	: No data available				
Boiling point	: No data available				
Flash point	: No data available				
Auto-ignition temperature	: No data available				
Decomposition temperature	: No data available				
Flammability (solid, gas)	: Extremely flammable aerosol.				
Vapour pressure	: No data available				
Relative vapour density at 20 °C	: No data available				
Relative density	: No data available				
Solubility	: No data available				
Log Pow	: No data available				
Viscosity, kinematic	: No data available				
Viscosity, dynamic	: No data available				
Explosive properties	: Pressurised container: May burst if heated.				
Oxidising properties	: No data available				
Explosive limits	: No data available				
9.2. Other information					
No additional information available					
SECTION 10: Stability and reactivit	у				
10.1. Reactivity					
Extremely flammable aerosol. Pressurised container: May burst if heated.					
10.2. Chemical stability					
Stable under normal conditions.					
10.3. Possibility of hazardous reactions					
No dangerous reactions known under normal of	conditions of use.				

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity	: Not classified			
Skin corrosion/irritation	: Causes skin irritation.			
Serious eye damage/irritation	: Causes serious eye irritation.			
Respiratory or skin sensitisation	: May cause an allergic skin reaction.			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
STOT-single exposure	: May cause drowsiness or dizziness.			



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

	Date of issue: 13/02/2019 Version: 0.0
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
ZIFT TAR CLEANING	
Vaporizer	Aerosol

SECTION 12: Ecological informatio	n
12.1. Toxicity	
Ecology - general	: Toxic to aquatic life with long lasting effects. Before neutralisation, the product may represent a danger to aquatic organisms.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
Classification procedure (Chronic aquatic toxicity)	: Calculation method
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
ZIFT TAR CLEANING	

ZIFT TAR CLEANING					
Bioaccumulative potential	No additional information available				
12.4. Mobility in soil					
ZIFT TAR CLEANING	ZIFT TAR CLEANING				
Mobility in soil No additional information available					
12.5. Results of PBT and vPvB assessment					

No additional information available

12.6. Other adverse effects	
Ozone	: Not classified
Other adverse effects	: No additional information available

SECT	SECTION 13: Disposal considerations			
13.1.	Waste treatment methods			

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information					
In accordance with ADR / RID / IMDG / IATA / ADN					
ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
1950	1950	1950	1950	1950	
14.2. UN proper shipp			-		
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS	
Transport document desc					
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONM ENTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard	d class(es)	-			
2.1	2.1	2.1	2.1	2.1	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Date of issue: 13/02/2019 Version: 0.0

ADR	IMDG	IATA	ADN	RID				
14.5. Environmental hazards								
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes				
No supplementary information available								

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP200
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
- Air transport	
PCA Excepted quantities (IATA)	: E0
,	
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
- Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
13/02/2019	EN (English)



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Date of iss	sue: 13/02/2019	Version: 0.0
Excepted quantities (RID)	: E0	
Packing instructions (RID)	: P207, LP2	.00
Special packing provisions (RID)	: PP87, RR6	3, L2
Mixed packing provisions (RID)	: MP9	
Transport category (RID)	: 2	
Special provisions for carriage – Packages (RID)	: W14	
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW ²	12
Colis express (express parcels) (RID)	: CE2	
Hazard identification number (RID)	: 23	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

This product doesn't contain any substances that is controlled or prohibited for use according to the Regulation for Reduction of Ozone Depleting Substances published in the Official Journal numbered 27052 on November 12, 2008.

Regulatory reference	: Waste Management Regulation published in the Official Journal numbered 29314 on April 2, 2015			
	Regulation on Test Methods that will be Applied to Determine the Physicochemical, Toxicological and Ecotoxicological Properties of Substances and Mixtures published in the Official Journal numbered 28848 on December 11, 2013			
	Regulation on Health and Safety Precautions When Working with Chemical Substances published in the Official Journal numbered 28733 on August 12, 2013			
	Regulation on Inventory and Control of Chemicals published in the Official Journal numbered 27092 on December 26, 2008			
	Regulation on Restriction and Prohibition of Hazardous Substances and Mixtures published in the Official Journal numbered 27092 on December 26, 2008			
	Communiqué on Detergents and Surfactants Used in Detergents published in the Official Journal numbered 27092 on December 26, 2008.			

SECTION 16: Other information

Full text of H-statements

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Gas 1	Flammable gases, Category 1		
Flam. Liq. 3	Flammable liquids, Category 3		
Press. Gas (Comp.)	Gases under pressure : Compressed gas		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		

Safety Data Sheet author's				
:	İrem BEKTAŞ KART			
:	GBF-A-0-2732			
:	irem@bekkdanismanlik.com			
	:			

SDS Turkey

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product