

Product identifier

1.1.

Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Date of issue: 12/02/2019 Version: 0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product name : MXS CONTACT CLEANER Vaporizer : Aerosol 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : Cleaning/washing agents and additives 1.3. Details of the supplier of the safety data sheet ATLANTIK AEROSOL ve KIMYA SANAYI A.Ş. Fatih Mh. Altınkent Sk. No:4 Tavşanlı Beldesi Altınova Yalova - TÜRKİYE 1 + 90 226 465 72 27 - F + 90 226 465 72 26 info@atlantikkimya.com.tr - www.atlantikaerosol.com 1.4. Emergency telephone number Country Organisation/Company	Product form	: 1	Mixture		
Vaporizer : Aerosol 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : Cleaning/washing agents and additives 1.3. Details of the supplier of the safety data sheet ATLANTIK AEROSOL ve KIMYA SANAYI A.Ş. Faith Mh., Alunkent Sk. No.4 Tavganil Beldesi Altinova Yalova - TDRKYE T - You 226 465 72 27. F + 90 226 465 72 26 Info@datlantikimya com.tr - www.atlantikaerosol.com 1.4. Emergency telephone number Country Organisation/Company Address Turkey Useal Zehir Merkez/ (UZEM) Relis Squhming Camal Gircal Oc. No: 18 Juhnye 114 Information is provided to public and medical personnel on poisoning incidents via 114. SECTION 2: Hazards Identification Labeling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. Aerosol, Category 1 H222;H229 Skin corrosion/irritation, Category 2 H315 Specific target organ toxicity — Sepeated exposure, Category 2 H337 Reproductive toxicity, Category 2 H315 Specific target organ toxicity — Repeated exposure, Category 2 H337 Reproductive toxicity, Category 2 H337 Reproductive					
1.2. Relevant identified uses of the substance or mixture and uses advised against Jse of the substance/mixture : Cleaning/washing agents and additives 1.3. Details of the supplier of the safety data sheet TLATITIK AEROSOL ve KIMYA SANAVI A.Ş. Falth MA, Altinkert Sk. No.4 Tavganit Beldesi Altinova Yearabull Setting and Seting and Seting and Setting and Setting and Setting and S					
Use of the substance/mixture : Cleaning/washing agents and additives Cleaning/washing agents and additives ATANTIK AEROSOL ve KIMYA SANAYI A S. Faith Mh. Altinkent Sk. No:4 Tavşanlı Beldesi Altinova Yalova - UDKNYE Yalova - VDKNYE Country of Vagnisation/Company Address Emergency number Comment Info@dilatinik/inva.com I: www.aliantikaerosol.com 14. Emergency telephone number Country Classification/Company Address Emergency number Comment Turkey Ulusal Zehir Merkozi (UZEM) Camad Camed Cal. No: 18 Subbye Contry Turkey Comment Comment Turkey Comment Comment Country Classification of the substance or mixture Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. Aerosol, Category 1 H222;H229 Steinication according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regu					
1.3. Details of the supplier of the safety data sheet NTLANTIK AEROSOL ve KIMYA SANAYI A S. ath M.A. Alinkent Sk. No.4 Tarspanil Beldesi Altinova falva URKYE F + 90 226 465 72 27 - F + 90 226 465 72 26 Indigalaritikimya.com tr. + www.atlantikaerosol.com 1.4. Emergency telephone number Country Organisation/Company VILusal Zehr Merkezi (UZEM) Baskanitig: Camal Gunal Cd. No: 18 Sinkiye Camal Gunal Cd. No: 18	I.2. Relevant	identified uses of the substance	e or mixture and uses advised a	against	
ATLANTIK AEROSOL ve KİMYA SANAYİ A.Ş. Tartih M. Attinkent Sk. No.4 Tavşanlı Beldesi Attinova Galova - TÜRKIYE F 90 226 465 72 27 - F + 90 226 426 72 28 Information sprovide to publication (Company) Address Emergency telephone number Country Organisation/Company Address Emergency number Comment Turkey Ulusal Zehir Merkezi (UZEM) Cernal Ginzel CA. No: 18 Suhlye 114 Information is provided to public and medical personnel on poisoning incidents via 114. SECTION 2: Hazard's Identification Cassification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. Verson Category 1 H222;H229 Serious eye damage/eye iritation, Category 2 H319 Serious eye damage/eye iritation, Category 2	Jse of the substand	e/mixture : (Cleaning/washing agents and addi	tives	
ATLANTIK AEROSOL ve KIMYA SANAYI A.Ş. Faith Mn. Attinkent Sk. No:4 Tavganih Beldesi Altinova Advax - TURKYE T + 90 226 465 72 27 - F + 90 226 465 72 26 Info@atlantikkinya.com.tr www.atlantikaerosol.com Late Berner Stelephone number Country Organisation/Company Address Emergency number Comment Info@atlantikkinya.com.tr www.atlantikaerosol.com 14. Emergency telephone number Country Organisation/Company Address Emergency number Comment Info@atlantikkinya.com.tr www.atlantikkerosol.com Address Emergency number Comment Info@atlantikkinya.com.tr. Comment Info@atlantikkinya.com.tr. Comment Info@atlantikkinya.com.tr. Comment Info@atlantikkinya.com.tr. Comment Info@atlantikkinya.com.tr. Comment Info@atlantikkinya.com.tr. Comment Info@a					
Tath M. Attinkent Sk. No:4 Tavşanlı Beldesi Altinova (alova - TÜRKYK) E F + 90 226 485 72 27 - F + 90 226 485 72 26 (nd:@altantikkmya.com.tr. + www.altantikaerosol.com) I.4. Emergency telephone number Comment Country Organisation/Company Barking Address Emergency number Comment Turkey Ulusal Zehir Merkezi (UZEM) Barking Carnal Gineel Cd. No: 18 sinhay Carkaya Gess0 Ankara 114 Information is provided to public and medical personnel on poisoning incidents via 114. SECTION 2: Hazards identification Edestification 2884 on December 11, 2013. Hazards identification plants in the Parkaya Carkaya Carkaya Carkaya Carkaya Carkaya Carkaya Carebo Ankara Information is provided to public and medical personnel on poisoning incidents via 114. SECTION 2: Hazards identification Sectoron 2: Hazards identification Cassification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. Verson Category 1 H222;H229 H315 Serious eye damage/eye irritation, Category 2 H316 Seperific target organ toxicity — Single exposure, Category 2 H336 Specific target organ toxicity — Single exposure, Category 2 H373 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H373 Itatardous to the aquatic environment — Chronic Hazard, Cat	.3. Details o	f the supplier of the safety data	sheet		
Country Organisation/Company Address Emergency number Comment Turkey Ulusal Zehir Merkezi (UZEM) Bejkanitig: Commit Gursel Cd. No: 18 Sithiye Cankaya 114 Information is provided to public and medical personnel on poisoning incidents via 114. SECTION 2: Hazards identification Estimation of the substance or mixture 114 Information is provided to public and medical personnel on poisoning incidents via 114. SECTION 2: Hazards identification Lassification of the substance or mixture 114 Information is provided to public and medical personnel on poisoning incidents via 114. SECTION 2: Hazards identification Lassification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. Variation Category 1 H222;H229 Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Reproductive toxicity, Category 2 H336 Specific target organ toxicity — Repeated exposure, Category 2 H373 4azardous to the aquatic environment — Chronic Hazard, Category 2 H411 Full text of H-statements: see section 16 Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unbor	⁻ atih Mh. Altınkent Yalova - TÜRKİYE Γ + 90 226 465 72 2	Sk. No:4 Tavşanlı Beldesi Altınov 27 - F + 90 226 465 72 26			
Turkey Ulusal Zehir Merkezi (UZEM) Refik Saydam Hitzissihha Merkezi Başkanlığı Camal Gürsel Cd. No: 18 Sihhiye Cankaya 114 Information is provided to public and medical personnel on poisoning incidents via 114. SECTION 2: Hazards identification 114 Information is provided to public and medical personnel on poisoning incidents via 114. SECTION 2: Hazards identification Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. Variation of the substance or mixture H222;H229 Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H361 Specific target organ toxicity — Single exposure, Category 2 H373 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H373 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H373 Adverse physicochemical, human health and environmental effects Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. Causes seri eye irritation. Toxic to aquatic life with long lasting effects. 2.2. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journ	1.4. Emergen	cy telephone number			
Refit Saydam Hifzssihha Merkezi Cankaya 06590 Ankara public and medical personnel on poisoning incidents via 114. SECTION 2: Hazards identification Example of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. Aerosol, Category 1 H222;H229 Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Reproductive toxicity, Category 2 H361 Specific target organ toxicity — Single exposure, Category 2 H373 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H317 Full text of H-statements: see section 16 Fressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsines or dizziness. Causes sein eye irritation. Toxic to aquatic life with long lasting effects. 2.2. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 2848 on December 11, 2013.	Country	Organisation/Company	Address	Emergency number	Comment
2.1. Classification of the substance or mixture Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. Aerosol, Category 1 H222;H229 Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Reproductive toxicity, Category 2 H361 Specific target organ toxicity — Single exposure, Category 3, Narcosis H336 Specific target organ toxicity — Repeated exposure, Category 2 H373 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411 Full text of H-statements: see section 16 Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. Causes seriey irritation. Toxic to aquatic life with long lasting effects. 2.2. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.	Turkey	Refik Saydam Hıfzıssıhha Merkezi	Çankaya	114	personnel on poisoning
Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Reproductive toxicity, Category 2 H361 Specific target organ toxicity — Single exposure, Category 3, Narcosis H336 Specific target organ toxicity — Repeated exposure, Category 2 H373 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411 Full text of H-statements: see section 16 Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. Causes serie eye irritation. Toxic to aquatic life with long lasting effects. 2. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.	Official Journal nu	mbered 28848 on December 11	l, 2013.		
Serious eye damage/eye irritation, Category 2 Reproductive toxicity, Category 2 Specific target organ toxicity — Single exposure, Category 3, Narcosis Specific target organ toxicity — Repeated exposure, Category 2 Ha373 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Hull text of H-statements: see section 16 Adverse physicochemical, human health and environmental effects Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. Causes ser eye irritation. Toxic to aquatic life with long lasting effects. 2.2. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Difficial Journal numbered 28848 on December 11, 2013.			H315		
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336 Specific target organ toxicity — Repeated exposure, Category 2 H373 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411 Full text of H-statements: see section 16 Adverse physicochemical, human health and environmental effects : Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. Causes ser eye irritation. Toxic to aquatic life with long lasting effects. 2.2. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Difficial Journal numbered 28848 on December 11, 2013.			H319		
Specific target organ toxicity — Repeated exposure, Category 2 H373 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411 Full text of H-statements: see section 16 Adverse physicochemical, human health and environmental effects	Reproductive toxicit	y, Category 2	H361		
 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411 Full text of H-statements: see section 16 Adverse physicochemical, human health and environmental effects Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. Causes serie ye irritation. Toxic to aquatic life with long lasting effects. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Difficial Journal numbered 28848 on December 11, 2013. 	Specific target orga	n toxicity — Single exposure, Cat	egory 3, Narcosis H336		
Full text of H-statements: see section 16 Adverse physicochemical, human health and environmental effects Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. Causes serie eye irritation. Toxic to aquatic life with long lasting effects. 2.2. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Difficial Journal numbered 28848 on December 11, 2013.	Specific target orga	n toxicity — Repeated exposure,	Category 2 H373		
 Adverse physicochemical, human health and environmental effects Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. Causes serie eye irritation. Toxic to aquatic life with long lasting effects. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. 	lazardous to the ad	quatic environment — Chronic Ha	zard, Category 2 H411		
environmental effects damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. Causes skin irritation. Causes serie eye irritation. Toxic to aquatic life with long lasting effects. 2.2. Label elements Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.		ents: see section 16			
Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.	Full text of H-staten				
Official Journal numbered 28848 on December 11, 2013.	Adverse physicoche	ts o	damaging fertility or the unborn chi repeated exposure. May cause dro	ld. May cause damage to o wsiness or dizziness. Caus	rgans through prolonged or
Official Journal numbered 28848 on December 11, 2013.	Adverse physicoche environmental effec	ts of	damaging fertility or the unborn chi repeated exposure. May cause dro	ld. May cause damage to o wsiness or dizziness. Caus	rgans through prolonged or
Hazard pictograms (SEA) :	Adverse physicoche environmental effec 2.2. Label ele	ts of the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	damaging fertility or the unborn chi repeated exposure. May cause dro eye irritation. Toxic to aquatic life w	ld. May cause damage to o wsiness or dizziness. Caus /ith long lasting effects.	rgans through prolonged or ses skin irritation. Causes seriou
	Adverse physicoche environmental effec 2.2. Label ele Classification acco	ts of the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	damaging fertility or the unborn chi repeated exposure. May cause dro eye irritation. Toxic to aquatic life w ng and Packaging of Substance	ld. May cause damage to o wsiness or dizziness. Caus /ith long lasting effects.	rgans through prolonged or ses skin irritation. Causes seriou

Signal word (SEA)

Hazardous ingredients

: Danger

GHS02

: n-hexane; propan-2-ol; isopropyl alcohol; isopropanol; acetone; propan-2-one; propanone

GHS09

GHS08

- Hazard statements (SEA)
- : H222 Extremely flammable aerosol. H315 - Causes skin irritation.
- H319 Causes serious eye irritation.

GHS07

- H336 May cause drowsiness or dizziness.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure. H411 - Toxic to aquatic life with long lasting effects.
- Precautionary statements (SEA)
- P201 Obtain special instructions before use. : P202 - Do not handle until all safety precautions have been read and understood. P251 - Do not pierce or burn, even after use.
- EN (English)





Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Date of issue: 12/02/2019 Version: 0.0

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash hands, forearms and face with soap and water thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.

2.3. Other hazards

Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Product identifier	%	Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013.
(CAS-No.) 68476-85-7 (EC-No.) 270-704-2	40	Flam. Gas 1, H220 Press. Gas (Comp.), H280
(CAS-No.) 110-54-3 (EC-No.) 203-777-6 (EC Index-No.) 601-037-00-0	30	Flam. Liq. 2, H225 Repr. 2, H361f Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411
(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0	15	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
(CAS-No.) 67-64-1 (EC-No.) 200-662-2 (EC Index-No.) 606-001-00-8	15	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
	(CAS-No.) 68476-85-7 (EC-No.) 270-704-2 (CAS-No.) 110-54-3 (EC-No.) 203-777-6 (EC Index-No.) 601-037-00-0 (CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (CAS-No.) 67-64-1 (EC-No.) 200-662-2	(CAS-No.) 68476-85-7 (EC-No.) 270-704-2 40 (CAS-No.) 110-54-3 (EC-No.) 203-777-6 (EC Index-No.) 601-037-00-0 30 (CAS-No.) 67-63-0 (EC Index-No.) 601-037-00-0 15 (CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 15 (CAS-No.) 67-64-1 (EC-No.) 200-662-2 15

Name	Product identifier	Specific concentration limits
n-hexane	(CAS-No.) 110-54-3 (EC-No.) 203-777-6 (EC Index-No.) 601-037-00-0	(5 = <c 100)="" 2,="" <="" h373<="" re="" stot="" td=""></c>

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Indication of any immediate medic	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Date of issue: 12/02/2019 Version: 0.0

5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Pressurised container: May burst if heated.
Hazardous decomposition products in case of	: Toxic fumes may be released.
fire	
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	isures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containm	ent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
7.3 Specific and use(s)	

7.3. Specific end use(s)

No additional information available

ECTION 6. EXP	osure controls/personal protection	
.1. Control par	ameters	
acetone; propan-2-	one; propanone (67-64-1)	
EU	Local name	Acetone
EU	IOELV TWA (mg/m ³)	1210 mg/m ³
EU	IOELV TWA (ppm)	500 ppm
EU	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Turkey	Local name	Aseton
Turkey	OEL TWA (mg/m ³)	1210 mg/m ³
Turkey	OEL TWA (ppm)	500 ppm
Turkey	Regulatory reference	12 Ağustos 2013 Tarihli ve 28733 Sayılı Resmî Gazete

8.2. Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station.



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

	Date of Issue: 12/02/2019 Version: 0.0	
Hand protection	: Protective gloves	
Eye protection	: Safety glasses	
Skin and body protection	: Wear suitable protective clothing	
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.	
Environmental exposure controls	: Avoid release to the environment.	

SECTION 9: Physical and chemica	l properties
9.1. Information on basic physical and	
Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and re	eactivity
10.1. Reactivity	
Extremely flammable aerosol. Pressu	rised container: May burst if heated.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous r	reactions
No dangerous reactions known under	r normal conditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat	. No flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition	n products
Under normal conditions of storage a	nd use, hazardous decomposition products should not be produced.
SECTION 11: Toxicological	information
11.1. Information on toxicologi	cal effects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014 Date of issue: 12/02/2019 Version: 0.0

Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
MXS CONTACT CLEANER	
Vaporizer	Aerosol

SECTION 12: Ecological informatio	n
12.1. Toxicity	
Ecology - general	: Toxic to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No additional information available

2.3. Bioaccumulative potential		
MXS CONTACT CLEANER		
Bioaccumulative potential	No additional information available	
12.4. Mobility in soil		
MXS CONTACT CLEANER	MXS CONTACT CLEANER	
Mobility in soil	No additional information available	
12.5. Results of PBT and vPvB ass	ssment	
No additional information available		
12.6. Other adverse effects		

Ozone	: Not classified
Other adverse effects	: No additional information available

SECT	ION 13: Disposal considerations		
13.1.	Waste treatment methods		

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN					
ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
1950	1950	1950	1950	1950	
14.2. UN proper shipp	ing name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS	
Transport document desc	ription				
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONM ENTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard class(es)					
2.1	2.1	2.1	2.1	2.1	



Safety Data Sheet

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Date of issue: 12/02/2019 Version: 0.0

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	
No supplementary information available					

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
- Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
· · /	



Version: 0.0

Safety Data Sheet

Date of issue: 12/02/2019

In accordance with the Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures published in the Official Journal numbered 29204 on December 13, 2014

Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
()	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

This product doesn't contain any substances that is controlled or prohibited for use according to the Regulation for Reduction of Ozone Depleting Substances published in the Official Journal numbered 27052 on November 12, 2008.

Regulatory reference

Waste Management Regulation published in the Official Journal numbered 29314 on April 2, 2015
 Regulation on Test Methods that will be Applied to Determine the Physicochemical, Toxicological and Ecotoxicological Properties of Substances and Mixtures published in the Official Journal numbered 28848 on December 11, 2013
 Regulation on Health and Safety Precautions When Working with Chemical Substances published in the Official Journal numbered 28733 on August 12, 2013
 Regulation on Inventory and Control of Chemicals published in the Official Journal numbered 27092 on December 26, 2008
 Regulation on Restriction and Prohibition of Hazardous Substances and Mixtures published in the Official Journal numbered 27092 on December 26, 2008

Communiqué on Detergents and Surfactants Used in Detergents published in the Official Journal numbered 27092 on December 26, 2008.

SECTION 16: Other information

Full text of H-statements

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

:	İrem BEKTAŞ KART
:	GBF-A-0-2732
:	irem@bekkdanismanlik.com
	:

SDS Turkey

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product